

2003 SARS 2009 H1N1 2014

5 8

1. 0

7.

8.



9.

10.

		400× 300
		20um
		8 14um
	NETD	50mK
		8mm /15mm
	F	1
	FOV	43.6°× 36.4°/24°× 18°
		/ / /
	DVE	
		/ / +
		2D/3D
		/ /
OSD		
	D1	
	30fps	
		1/2.8" SONY CMOS with WDR
	/	1920(H) × 1080(V)/30fps
		> 120dB

	> 60dB	> 60dB
		0.1Lux@ (F1.2 AGC ON IRC ON)      0.01Lux@ (F1.2 AGC ON IRC OFF)
		1/50(1/60)~ 1/64,000( / )
		3D/2D
		/ /
		DC
		C/CS
		3.3 10.5mm AUTO IRIS
		1/50(1/60)~ 1/64,000( / )
		H.264BP/MP/HP/MJPEG
		G711 AMR RAW_PCM (Optional)
		CBR/VBR
		500Kbps 8Mbps
		IPv4/v6 RTSP/RTP/RTCP TCP/UDP HTTP DHCP DNS FTP DDNS PPPOE
		CIFS NFS
	WEB	WEB IE
		Onvif /
		10
		0.3
		8

	30
	DC12V±10%
	10W
	Temp:-10 + 55 ( )
	RH90% MAX(Non-condensing)
	IP66
	/
	5Kg



C 13

0755-86518800 0755-86518855

13922881698

QQ 76024879

sales@ huaruicom.com

www.huaruicom.com



13922881698  
18665360602

13538144380  
13538144385

13632702323

13538144385

15104440003

18823877073